



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 622P

TYPE OF ACCIDENT Car turning left/Pedestrian walking

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was southbound at a 4-way stop sign intersection. The pedestrian began to walk northbound in a crosswalk from the southeast corner. Vehicle 1 began to turn left at the intersection when the front of the vehicle struck the left side of the pedestrian which knocked her to the ground.

B. PEDESTRIAN PROFILE								
Pedestrian	(1.2.2.2.1.2.1.1)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	70	F	Treated and Released	L-Knee	Contusion	1	Front Bumper	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE							
	Class			Most Severe Damage Based on Vehicle Inspection			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Full Size	97/Mercedes/ E320	Front	Minor streaks, smudges			

DO NOT SANITIZE THIS FORM



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Administration P 80 600 Case Number-Stratum Primary Sampling Unit Number SCALED DIAGRAM PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION north arrow placed on diagram Surface Type document reference point and reference line relative to physical features grade measurements for all applicable Surface Condition documentation of all accident induced physical roadways evidence including (if applicable): ୬ଏ scaled representations of the physical plant Coefficient of Friction including: vehicle skid marks a) all road/roadway delineation (e.g., crosswarks, curb/edge lines, lane markings, medians, pavement markings, pedestrian contacts with ground or object b parked vehicles, poles, signs, etc.) Grade (v/h) Measurement b) all traffic controls (e.g., lights, signs) at impact vehicle/pedestrian point of impact (POI) a) C) scaled representations of the vehicle and between impact and pedestrian at pre-impact, impact, and final location of pedestrian separation point from d) final rest rest based upon either: vehicle physical evidence, or Padestrian Travel Direction final resting points (FRP) for pedestrian and vehicle reconstructed accident dynamics Venice Travel Direction: documentation of the physical plant including: Number of Travel Lanes all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs) Reference Line: Distance and Direction Distance and Direction from Reference Line Item from Reference Point



COLLISION DIAGRAM

BEST AVAILABLE

U.S. Department of Transportation NATIONAL AUTOMOTIVE SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate North PSU No. Case Number - Stratum 0 o DO 16.7 20.5

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

BEST AVAILABLE

NATIONAL ACCIDENT SAM PEDESTRIAN CRASH

National Highway Traffic Safety Administration Indicate 83 PSU No. North 622 Case Number - Stratum Sidenalk 0 0 5 i dewell Δ

BEST AVAILABLE

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY


١.	Primary Sampling	Unit Number	\overline{A}
	Primary Sampling	Unit Number	_

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

7. _____SS16 Pedestrian Crash Data Study 1

SS17 Impact Fires 0

SS18 0

0 10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14.	15.	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety
Administration

10. Pedestrian's Weight 1. Primary Sampling Unit Number Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = ___ _ _ kilograms 0 1 3. Pedestrian Number PEDESTRIAN'S PRE-AVOIDANCE ACTIONS PEDESTRIAN'S CHARACTERISTICS 11. Pedestrian Attitude 4. Pedestrian's Age (1) Standing Code actual age at time of accident. (2) Crouching (00) Less than one year old (specify by month): (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (1) Walking slowly (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle inches X 2.54 = ____ centimeters (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown Off road, approaching road (05) Off road, going away from road (06)inches X 2.54 = ____ centimeters Off road, moving parallel (07)(08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip Off road, moving along driveway (09) Code to the nearest (98) Other (specify): centimeter. Unknown (99)(999) Unknown 14. Pedestrian's Body (Chest) Orientation inches X 2.54 = ___ centimeters Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest Facing away (2) centimeter. Left side to vehicle (3) (999) Unknown Right side to vehicle Other (specify): (8) inches X 2.54 = ___ centimeters Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions
 - (00) No avoidance actions
 - (01) Stopped
 - (02) Accelerated pace
 - (03) Ran away (along vehicle path)
 - (04) Jumped
 - (05) Turned toward vehicle
 - (06) Turned away from vehicle
 - (07) Dove or fell away

Used hand(s) to:

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): __
- (99) Unknown



PEDESTRIAN'S ORIENTATION AT IMPACT

- Pedestrian's Head Orientation at Initial Impact
 - (1) To front
 - (2) To left
 - (3) To right
 - (4) Up
 - (5) Down
 - (8) Other (specify):_
 - (9) Unknown
- 17. Pedestrian's Body (Chest) Orientation at Initial Impact
 - (1) Facing vehicle
 - (2) Facing away
 - (3) Left side to vehicle
 - (4) Right side to vehicle
 - (8) Other (specify):_____
 - (9) Unknown



- 18. Pedestrian's Arm Orientation at Initial Impact
 - (01) At sides
 - (02) Folded across chest
 - (03) Hands clasped behind back
 - (04) Hands on hips
 - (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify):
- (99) Unknown
- 19. Pedestrian's Leg Orientation at Initial Impact
 - (01) Together
 - (02) Apart-laterally
 - (03) Apart-right leg forward
 - (04) Apart-left leg forward
 - (05) Apart- forward leg unknown
 - (06) Left foot off the ground -
 - (07) Right foot off the ground
 - (08) Both feet off the ground
 - (98) Other (specify):____
 - (99) Unknown
- 20. Vehicle/Pedestrian's Interaction
 - (01) Carried by vehicle, wrapped position
 - (02) Carried by vehicle, slid to windshield
 - (03) Carried by vehicle, position unknown
 - (04) Passed over vehicle top
 - (05) Thrown straight forward
 - (06) Thrown forward and left of vehicle
 - (07) Thrown forward and right of vehicle
 - (08) Knocked to pavement, forward
 - (09) Knocked to pavement, left of vehicle
 - (10) Knocked to pavement, right of vehicle
 - (11) Knocked to pavement, run over or dragged by vehicle
 - (12) Shunted to left (corner impacts only)
 - (13) Shunted to right (corner impacts only)
 - (14) Bumped or pushed aside
 - (15) Snagged, rotated
 - (16) Snagged, dragged by vehicle
 - (17) Foot or legs run over
 - (98) Other (specify):_____
 - (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given Source:	2 (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at some point transported
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

RE COMPLETED BY THE ZONE CENTER
34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
OS INCLUDED WITH INITIAL SUBMISSION? YES [] ? NO [] YES []

Administration

U.S. Department of Transportation **National Highway Traffic Safety**

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

. <u>\$</u>	Body Region 6: \$\int \text{19.}	Type of Anatomic Structure 7:	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
ı				9. <u>0</u> 2	10.	11. 2	ついつ	1	1	_	2 ~	-
	19	20	21.				12	13. <u> {</u>	14	15	76. <u>4</u>	-17. L
ı. <u></u>				22.	23	24	25	26	27	28	29	30
	32	33	34	35	36	37	38	39	40	41	42	43
k	45	46	47	48	49	50	51:	52	53	54	55	56
!. <u></u>	58	59	60	61.	62	63	64	65	66	67	68	69
k	71	72	73	74	75	76	77	78	79	80	81	82
·	84	85	86	87	88	89	90	91	92	93	94	95
·	97	98	99	100	101	102	103	104	105	106	107	108
9. <u> </u>	10	111	112	113	114	115	116	117	118	119	120	121
2 1	123	124	125	126	127	128	129	130	131	132.	133	134
).).		71 84 97 110	71 72 84 85 97 98 110 111		71. 72. 73. 74						71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119.	

:					PEDE	STRIAI	LNI V	URY DAT					
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	ı	_	_				_			<u> </u>			_
1 12tf	·				-	_				<u> </u>		_	_
13th	ı <u> </u>	_				_					· · · · · · · · · · · · · · · · · · ·		_
14ti	ı		_			_				-		_	_
15tt	ı <u>—</u>					_			_				_
16tH	ı <u> </u>	_	_			-	—		<u></u>				_
170	1		_				_		_		-		
181	ı	—											
191	ı	_	_			-	_		_				_
20 11	n	—		<u> </u>					_		-		_
21s	t	_	_						_				_
22nc	d		—			_	_			 -			_
23rc	·		_			_	_					_	_
24tl	1		_			_	—		_	_		_	_
25tl	n												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Certain (0) Injury not from vehicle contact **OFFICIAL** No damage/contact Scratch (Scuff, Cloth Transfer, Smear) (2) Probable (1) Autopsy records with or without hospital/ (3) Possible medical records Dent Unknown (3) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered emergency room (e.g., discharge Direct contact injury summary) (6) Separated from vehicle Indirect contact injury Noncontact injury Emergency room records only (including (7) Noncontact injury Other specify: associated X-rays or other lab reports) (8) Injured, unknown source Unknown Private physician, walk-in or emergency clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage (3) (6) E.M.S. personnel Crush depth >0 to 2 centimeters (3) Rounded edge (4) Interviewee (7) Crush depth > 2 to 5 centimeters Sharp edge Other (specify): Other source (specify): Crush depth >5 to 10 centimeters (8) (8) Other specify: (9) Police Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Abbreviated Injury Scale** Spine (02) Cervical (04) Thoracic **Specific Anatomic Structure Body Region** Minor injury Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration Head (2) Moderate injury (06) Lumbar (2) Face Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury (4) (5) Critical injury (08) Skin - Avulsion (5) Abdomen Maximum (untreatable) Amputation (6) Spine (10)Injured, unknown severity Upper Extremity (20) Burn Level of Injury (30) Crush (8) **Lower Extremity** Aspect (40)Degloving (9) Unspecified injuries Injury - NFS Specific are assigned (50)consecutive two-digit beginning with 02. Trauma, other than mechanical numbers (1)Right Type of Anatomic Structure (90) Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area within the Central To the extent possible, organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to legical or agree; (5)Anterior (3) Nerves Posterior (4) Organs (includes muscles/ (7) Superior (8)Inferior Skeletal (includes joints) Unknown Head - LOC (6)NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify): 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 772 Front fender top surface 826 Spare tire 773 Cowl area 827 Spotlight 737 Rear antenna 774 Wiper blade & mountings 828 Other accessory (specify):__ 738 Other left side object 775 Windshield glazing 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): _ 742 A1 pillar 999 Unknown injury source 789 Unknown top component 743 A2 pillar

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

TYPE OF DAMAGE

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __.__

PO₂= ____

PCO₂ ____


HCO₃ ____






OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation Rational Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	$\nabla \lambda$	OFFICIAL RECORDS
Primary Sampling Unit Number	22	009
2. Case Number - Stratum	<u>622 P</u>	9. Police Reported Travel Speed
3. Vehicle Number	<u>0</u> <u>1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICAT		
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown	odel year	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in you NASS PCDS Data Collection, Codi Editing Manual. (99) Unknown		in kmph (999) Unknown here in kmph (999) Unknown in kmph (999) Unknown in kmph i
Applicable codes are found in you NASS PCDS Data Collection, Codi Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be for the back of this page. 8. Vehicle Identification Number 1	und on	(7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Bod Solbs X .4536 = 635 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	1 [
23.	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(O1) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
	(O3) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify): Object or Animal
	(O4) Non-disabling vehicle problem (e.g., hood flew		(87) Animal in roadway
	up) (specify):		(88) Animal approaching roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(89) Animal—unknown location
	(specify):		(90) Object in roadway
	(06) Traveling too fast for conditions		(91) Object approaching roadway
	(08) Other cause of control loss (specify):		(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		(00) Carlot Ottion procedure to care (appear).
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane		(JO)
	(12) Off the edge of the road on the left side	24.	Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	(14) End departure		(01) No avoidance actions
	(15) Turning left at intersection		(O2) Braking (no lockup)
	(16) Turning right at intersection		(03) Braking (lockup)
	(17) Crossing over (passing through) intersection		(04) Braking (lockup unknown)
	(19) Unknown travel direction	ŀ	(05) Releasing brakes
	Other Motor Vehicle In Lane	ŀ	(06) Steering left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed		(08) Braking and steering left
	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover		(12) Accelerating and steering right
	(55) Backing		(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99) Unknown
	in lane	25	Precrash Stability After Avoidance Maneuver
	Other Motor Vehicle Encroaching Into Lane	25.	(0) No driver present
	(60) From adjacent lane (same direction) - over left		(1) No avoidance maneuver
	lane line		(2) Tracking
	(61) From adjacent lane (same direction) - over right		(3) Skidding longitudinally—rotation less than 30
	lane line		degrees
	(62) From opposite direction—over left lane line		(4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line		(5) Skidding laterally—counterclockwise rotation
	(64) From parking lane (65) From crossing street, turning into same direction		(8) Other vehicle loss-of-control (specify):
	(66) From crossing street, turning into same direction (66) From crossing street, across path		(9) Precrash stability unknown
	(67) From crossing street, across path (67) From crossing street, turning into opposite		(9) Preciasi stability disknown
	direction	26	Precrash Directional Consequences of
	(68) From crossing street, intended path not known	20.	Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(0) No driver present
	(71) From driveway, across path		(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		maneuver was initiated
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details	1	where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left
	unknown	i	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated
	(80) Pedestrian in roadway		(5) Vehicle departed roadway
	(81) Pedestrian approaching roadway	1	(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	1	(9) Directional consequences unknown
		1	

		ENVIRO	NME	NTA	YL I	DATA
			3	22	Poo	ndway Surface Condition
27.		tion to Junction Non-junction		33.		Dry .
	(1)	Interchange area			(2)	Wet
	١٠,	Three-orializes area			(3)	Snow and slush
		-Interchange			(4)	lce
	(2)	Intersection			(5)	Sand, dirt or oil Other (specify):
		Intersection-related Drive, alley access related			(9)	
	(5)	Other non-interchange (specify):			,	1
		Unknown type of non-interchange		34.		ffic Control Device No traffic control(s)
	(9)	Unknown if interchange	,		(1)	
					٠.,	crossing)
28.	Traf	ficway Flow				
		Not physically divided (two way traffic)			_	gulatory or School Zone Sign (Not RR Crossing)
•	(2)	Divided trafficway - median strip without		İ	(2) (3)	
	(3)	positive barrier Divided trafficway - median strip with			(4)	
	(0)	positive barrier				Other sign (specify):
		One way trafficway				
	(9)	Unknown	_	İ		Unknown sign Warning sign (not RR crossing)
)	l	(7) (8)	
29	Nun	nber of Travel Lanes	0		(0,	controls (specify):
20.		One				
		Two			(9)	Unknown
1	(3)	Three				J
İ	(4) (5)	Four Five		35.	Tra	ffic Control Device Functioning
	(6)	Six			(O)	No traffic control
	(7)	Seven or more				Not Functioning
	(9)	Unknown			(2)	Functioning Unknown
					(3)	1
30.	Roa	dway Alignment				
	(1)	Straight		36.		ht Conditions
		Curve left			(1) (2)	Daylight Dark
		Curve left Unknown			(3)	
	(3)	OTRIOWIT			(4)	· · · · · · · · · · · · · · · · · · ·
			7		(5)	
31.		dway Profile]	(9)	Unknown
1		Level Uphill Grade (>2%)				/
		Downhill Grade (>2%)		37.	Atn	nospheric Conditions
	(4)	Hillcrest			(1)	No adverse atmospheric related driving
	(5)				(2)	conditions Rain
	(9)	Unknown			(2) (3)	
)		(4)	
32.	Roa	dway Surface Type		}	(5)	
	(1)	Concrete		1	(6)	
		Bituminous (asphalt) Brick or Block		ļ	(7) (8)	Sleet and fog Other (e.g., smog, smoke, blowing sand or
	(3) (4)	Slag, gravel or stone		1	(0)	dust, etc.) (specify):
	(5)	Dirt			(9)	•
	(8)	Other (specify):				
	(9)	Unknown				
1	(3)	CHRIDWII				
1						

82-622

97 mind-s

70 YoF 11" 90#

18 your

POITO FRP = 0.7 m = 2,3f+ f = 0,60

 $V = \sqrt{(2)(2.3)(0.6)(32.2)}$ = 9.4 fps = 6.4 mph = 10.3kph

10 KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number


3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN WOBJF55F

Vehicle Make (specify):



PEDESTRIAN FRONT CONTACT **WORK SHEET**

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm cm cm cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm cm cm cm

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

_ cm

		PEDESTRIAN SIDE CONTACT WORK SHEE	·	
	DEV/06	Hood Material		
				cm
		Hood Length		cm
-		Hood Width-Forward Opening		cm
		Hood Width Midway		cm
.•	PEV11	Hood Width-Rear Opening		Cii
		VERTICAL MEASUREMENTS		
	PEV26	Ground Clearance		cm
	PEV27	Side Bumper-Bottom Height		cm
	PEV28	Side Bumper-Top Height		сп
	PEV29	Centerline of Wheel		cn
	PEV30	Top of Tire		cm
	PEV31	Top of Wheel Well Opening		cm
	PEV32	Bottom of A-Pillar at Windshield		cn
	PEV33	Top of A-Pillar at Windshield		cm
	PEV34	Top of Side View Mirror		cn
an Ta	and the second	LATERAL MEASUREMENTS		
		C _L to A-Pillar at Bottom of Windshield		cn
		C _L to A-Pillar at Top of Windshield		cn
	PEV37	C _L to Maximum Side View Mirror Protrusion		cn
		WRAP DISTANCES		
	PEV38	Ground to Side/Top Transition		сп
	PEV39	Ground to Hood Edge		cm
		Ground to Centerline of Hood (ORIGIN)		сп
		Ground to Head Contact		сп

VEHICLE DAMAGE SKETCH



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

NOTES:

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Whee 1 base inches $\times 2.54$ Overall Length inches x 2.54Maximum Width CM x . 4536 =pounds Curb Weight inches Average Track x 2.54 Front Overhang inches inches x 2.54 Rear Overhang CM inches $\times 2.54$ Undeformed End Width \times .001 Engine Size: cyl./displ. \times .0164 = CID INJURY SOURCE Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 800 Front cross member 708 Turn signal/parking lights 753 Right side folding mirror 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): _ 720 Front fender side surface 807 Muffler 721 Front antenna 759 Unknown right side component 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 725 C pillar 761 Tailgate (specify): _ 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 769 Unknown back component 729 Left side roof rail Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 827 Spotlight 737 Rear antenna 774 Wiper blade & mountings 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET										
		X-1/ 0	PEDESI	RIAN CUNIA	(M. Markshi	EE I					
CONTACT ID Label	COMPONENT CONTACTED	L=153 LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	COMPRIMENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #			
E	Broken	\$-50		Q	Logo	Approx Area	2 3 9	1			
1	4.4	54	44	6	Acm/	(mar)	2 3 9				
Ln	Mago	33	38	0 /	THY	(Stead by)	1 2 3 9	6			
		3,	29	0	Arms.	Spulge	7 2 3 9	3			
LR.	HOOX	-3	15	9 [fred W.	1) Shears and	1) 2 3 9 ~	3			
<u>A</u>	Booth	50	14	Ø	5	Smylge	1 2 3 9				
11	40	39	<u> </u>	Ø ·	skú Da	Home	2 3 9	L P			
<u></u>	1/20	17	3	Ø	78- 1	1 - 1 / L / L	1/2 3 9	4			
P	Speed	341-8	52013	Q s	sewio	opposition	1 2 3 9				
,		_				2	1 2 3 9				
	Spila	13-8	15		Storent	from tell	1 2 3 9	1a			
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 8				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				

POINTS	0F	PEDESTRIAN	CONTACT

	POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS									
CONTACT	COMPONENT CONTACTED CODE	- LONGITUDINAL LOCATION (X)	LATERAL LOCATION	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)			
1	100	[Do	22,56	0	L. knee	smeer clear	<u>1</u> 2 3 9			
2							1 2 3 3			
3							1 2 3 9			
4							1 2 3 9			
5							1 2 3 9			
6							1 2 3 9			
7							1 2 3 9			
8							1 2 3 9			
9							1 2 3 9			
10							1 2 3 9			
11							1 2 3 9			
12							1 2 3 9			
13							1 2 3 9			
14							1 2 3 9			
15					·		1 2 3 9			
16							1 2 3 9			
17							1 2 3 9			
18							1 2 3 9			
19							1 2 3 9			
20							1 2 3 9			
21							1 2 3 9			
22							1 2 3 9			
23							1 2 3 9			
24							1 2 3 9			
25							1 2 3 9			


VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase 393	Code to the nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
Centimeters x 2.54	inches X 2.54 = centimeters
5. Original Average Track Width \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
Inches × 2.54 = Centimeters	(8) Damage present, unknown if damage is from pedestrian impact
\sim	(9) Unknown
6. Hood Material	
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	-
(2) OEM replacement	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	-
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact


17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 28	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 =centimeters 25. Ground To Head Contact Code to the
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeters	nearest centimeter (OOO) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters
Front Wrep Distance Measurements	SIDE CONTACT DAMAGE
_	Side Vertical Measurements
	i i i i i i i i i i i i i i i i i i i
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

		CD-C	Side Lateral Mensureme	nts
29.	Centerline of Wheel		Sand Colords (February)	^ -
	Code to the		1	
	nearest centimeter		05 00 000 000	
	(000) No side contact		35. Centerline to A-Pillar	
	·		at Bottom of Windshield	
	(150) 150 centimeters or more		(000) No side contact	
	(999) Unknown		Code to the	
		<u> </u>	nearest centimeter	
•	inches X 2.54 =	centimeters	(250) 250 centimeters or more	
		l	(999) Unknown	
		020	,,	
30	Top of Tire		. inches X 2.54 =	centimeters
. J.	Code to the		· mcnes x 2.54 =	
	nearest centimeter	ì		<u>^</u> -
	(000) No side contact	l	00 0 0 0 0 0	n Kol 1
	•	ì	36. Centerline to A-Pillar	ノン
	(200) 200 centimeters or more	İ	at Top of Windshield	
	(999) Unknown	l l	Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
	 =	_	(250) 250 centimeters or more	
		(1 x x)	(999) Unknown	
31	Top of Wheel Well Opening	100	(555) CHRIDWII	
- • •	Code to the			- continue
	nearest centimeter	i	inches X 2.54 =	centimeter
	(000) No side contact	ı		^ -
	,	i		CMO
	(250) 250 centimeters or more	i	37. Centerline to Maximum Side	414
	(999) Unknown	i	View Mirror Protrusion	
		i	Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		~ ~	(000) No side contact	
32	Bottom of A-Pillar at Windshield	CO	(300) 300 centimeters or more	
	Code to the	7	1	
	nearest centimeter	ı	(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more	ı	inches X 2.54 =	centimeter
	1200/	1		200000000000000000000000000000000000000
۱ · · · · · · · · · · · · · · · · · · ·	(999) Unknown		P1.1 141 P1 1	iomonte.
	inches V 2 EA	100 Maria (1907)	Side Wrap Distance Measur	GINTHIS
	inches X 2.54 =	centimeters		G - >
		\sim		1997
		1122	38. Ground to Side/Top Transition	W J C
33	Top of A-Pillar at Windshield		Code to the	
~•	Code to the		nearest centimeter	
	nearest centimeter	÷ 1	(000) No side contact	
	(000) No side contact		(400) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more	1	a to the second	
	•		(999) Unknown	
	(999) Unknown			
		-	inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters		<u> </u>
			1	1190
		(32)	39. Ground to Hood Edge	<u> </u>
34	Top of Side View Mirror		Code to the	
J 7.	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		1	
	·		(500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			<u>.</u>
			inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters	1	
			ĺ	

Tauo	ilai Accident Sampin	.9 0,010 0		 		
40.	Ground to Centerline Code to the nearest centi (000) No side conti (700) 700 centime (999) Unknown	meter act	<u>000</u>		•	
	Ground to Head Con Code to the nearest cent (000) No side cont (800) 800 centime (998) No head con (999) Unknown	meter act ters or more	centimeters	•		
	, inches :	X 2.54 =	centimeters			

VEHICLE DAMAGE SKETCH





POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	Bup	4-50	22-56		Legs	poros area	2 3 9
<u> </u>	Hood	54 37	32	0	Arm Ary	Shindy Stades	2 3 9
K	W	33	29		Men	Smuly onen	2 3 9
R	MOON	-3	19		Smdy ctoth	5 steels	2 3 9
7	11 0	50	7		Shir trem	h Hand	1 2 3 9
<u>L</u>	Ass.	17	3		every		1 2 3 9
\	proc	34408	5+013		Shotoly's	o Cloth	1 2 3 9
		T 26			2)		1 2 3 9
	Goden	I-25)5		Steaks for	test	1 2 3 9
							1 2 3 9
							1 2 3 9
		·					1 2 3 9
							1 2 3 9
							1 2 3 9
	***********						1 2 3 9
							1 2 3 9
					September 1		1 2 3 9
					4.00		1 2 3 9